



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200  
Fax 613 632-5246

*Packaging*

**D350-822-011**  
**Job Sheet 190156**



*008369 009794*

**Part No:** D350-822-011

**Job Qty:** 1 ea

**Part Name:** PA100 PUREair System for AS350/EC130



**Part Weight:** 0 lbs

**Status:** New

**Priority:** Medium

**Job Created:** 2/5/19

**Job Tracking No:**

**Due Date:** 3/1/19

**Created By:** Linda Lacelle

**Type:** SOLD

**Description:**

**Note:** IIN-D350-822 REV.H , DSI9815 REV.A IPP REV:A 14.02.20 NEW ISSUE DD VERF:JLM IPP REV:B 14.06.18  
AS PER IIN REV.C DD VERF:JLM IPP REV:C 15.06.03 AS PER IIN REV.D DD VERF:JLM IPP REV:C  
18.07.11 AS PER IIN REV.H DD VERF:JFS

**Ship Via:**

### Bill of Materials

Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
CANADA  
TEL: 1 613 632-5200  
Email: sales@dartaero.com  
www.dartaerospace.com



**Container No:** S170633



**Part:** D350-822-011

**Job No:** 190156

**Serial No/Batch:** S170633

**Revision:** H/A

**Inspector:**

**Exp Date:**

**Instructions:** TC STC SH14-14 - Issue 2; FAA STC SR0353;

# Job Routing

| Op No | Operation           | Qty   | Start Date | Due Date | Standard  |         | Workcenter/Supplier   |           | Sign-off |
|-------|---------------------|-------|------------|----------|-----------|---------|-----------------------|-----------|----------|
|       |                     |       |            |          | Setup Hrs | Run Hrs | Workcenter / Supplier | Lead Time |          |
| 90    | Start up Operation  | 1 Ea  | 3/1/19     | 3/1/19   | 0.00      | 0.00    | Start Up Stores/Pkg-1 |           |          |
| 110   | Packaging           | 1 pcs | 3/1/19     | 3/1/19   | 0.00      | 0.00    | Packaging1-4          |           |          |
| 113   | Small Fab - 2 - B4B | 1 pcs | 3/1/19     | 3/1/19   | 0.00      | 1.00    | Small Fab - 1 - B4B   |           |          |
|       |                     |       |            |          |           |         | Small Fab - 2 - B4B   |           |          |
|       |                     |       |            |          |           |         | Small Fab - 3 - B4B   |           |          |
|       |                     |       |            |          |           |         | Small Fab - 4 - B4B   |           |          |
|       |                     |       |            |          |           |         | Small Fab - 5 - B4B   |           |          |
|       |                     |       |            |          |           |         | Small Fab - 6 - B4B   |           |          |
|       |                     |       |            |          |           |         | Small Fab - 7 - B4B   |           |          |
| 116   | QC 5                | 1 pcs | 3/1/19     | 3/1/19   | 0.00      | 0.00    | QC 5 - 10             |           |          |
|       |                     |       |            |          |           |         | QC 5 - 12             |           |          |
|       |                     |       |            |          |           |         | QC 5 - 17             |           |          |
|       |                     |       |            |          |           |         | QC 5 - 18             |           |          |
|       |                     |       |            |          |           |         | QC 5 - 19             |           |          |
|       |                     |       |            |          |           |         | QC 5 - 22             |           |          |
|       |                     |       |            |          |           |         | QC 5 - 24             |           |          |
|       |                     |       |            |          |           |         | QC 5 - 3              |           |          |
|       |                     |       |            |          |           |         | QC 5 - 38             |           |          |
|       |                     |       |            |          |           |         | QC 5 - 42             |           |          |
|       |                     |       |            |          |           |         | QC 5 - 43             |           |          |
|       |                     |       |            |          |           |         | QC 5 - 49             |           |          |
|       |                     |       |            |          |           |         | QC 5 - 51             |           |          |
|       |                     |       |            |          |           |         | QC 5 - 58             |           |          |
|       |                     |       |            |          |           |         | QC 5 - 68             |           |          |
|       |                     |       |            |          |           |         | QC 5 - 9              |           |          |
|       |                     |       |            |          |           |         | QC 5 - 50             |           |          |
|       |                     |       |            |          |           |         | QC 5 - 30             |           |          |
| 120   | QC                  | 1 pcs | 3/1/19     | 3/1/19   | 0.00      | 0.00    | QC4                   |           | smB      |
| 125   | Outsource           | 1 pcs | 3/1/19     | 3/1/19   | 0.00      | 0.00    | Outsource10           |           |          |
| 130   | Packaging           | 1 pcs | 3/1/19     | 3/1/19   | 0.00      | 0.00    | Packaging3-1          |           |          |
| 135   | DC                  | 1 pcs | 3/1/19     | 3/1/19   | 0.00      | 0.00    | DC                    |           |          |
| 140   | QC21-FG             | 1 Ea  | 3/1/19     | 3/1/19   | 0.00      | 0.00    | QC21                  |           |          |

Part Op 113 - REPLACE RECEPTACLE KIT AS PER DSI9815

Descriptions: 125 - Issue PO to GL account 50000-25 to LEAVE W/O OPEN UNTIL SOLD PO (Send copy of PO to Pall - James) Issue W/O LINE item for Pall for amount sold on sales order S/O 9779 according to sales price see Warran for amount. (if sale price is \$23,000 - amount is \$13,400) PO can be received immediately and given to finance in order to close work order.

130 - Identify and pack for shipping as per PPP D350-822-011

135 - Photocopy bluefile & type labels per PPP D350-822-011 CHG005

CY JUN 18 2019



# Job BOM

| Part / Item    | Component Name                                 | Quantity       | Operation             | Container                 |
|----------------|------------------------------------------------|----------------|-----------------------|---------------------------|
| 650.0401       | Pureair Fairing Assembly                       | 1 Ea (1 ea)    | 90-Start up Operation | <del>5151655</del>        |
| 9752100180     | Gasket 8411999090                              | 1 Ea (1 ea)    | 90-Start up Operation | 5050837                   |
| 9945000120     | Gasket (for B3e models)                        | 1 pcs (1 ea)   | 90-Start up Operation | 5116589                   |
| AN821-12J      | Elbow (or AN821-12K or 12S)                    | 2 Ea (2 ea)    | 90-Start up Operation | 5114748                   |
| AN929-12J      | Cap                                            | 1 Ea (1 ea)    | 90-Start up Operation | 5143727                   |
| D4925-041      | Mounting Plate Assembly                        | 1 pcs (1 ea)   | 90-Start up Operation | 5155294                   |
| D4931-1        | Engine Fitting (for acft models B2 & previous) | 1 pcs (1 ea)   | 90-Start up Operation | 5135837                   |
| D4931-3        | Engine Fitting (For B3 Models)                 | 1 pcs (1 ea)   | 90-Start up Operation | 5132787                   |
| D4931-5        | Engine Fitting (for B3e models)                | 1 pcs (1 ea)   | 90-Start up Operation | 5135445                   |
| D4935-1        | Mounting Bracket                               | 6 pcs (6 ea)   | 90-Start up Operation | 5136503                   |
| D4943-1        | Flex Hose                                      | 1 pcs (1 ea)   | 90-Start up Operation | 5150255                   |
| D4961-041      | Tube Assembly                                  | 1 pcs (1 ea)   | 90-Start up Operation | 5150837                   |
| D4961-043      | Tube Assembly                                  | 1 pcs (1 ea)   | 90-Start up Operation | <del>5150837</del>        |
| D5079-1        | Placard, Eaps                                  | 2 pcs (2 ea)   | 90-Start up Operation | 5135078                   |
| D5090-041      | Duct Assembly                                  | 1 pcs (1 ea)   | 90-Start up Operation | 5129836                   |
| D5105-1        | Handle                                         | 2 pcs (2 ea)   | 90-Start up Operation | 5150312                   |
| D5110-1        | Swivel Nut Fitting                             | 1 pcs (1 ea)   | 90-Start up Operation | 5149881                   |
| D5179-1        | Doubler                                        | 2 pcs (2 ea)   | 90-Start up Operation | 5118074                   |
| D5179-3        | Doubler                                        | 2 pcs (2 ea)   | 90-Start up Operation | 5118072                   |
| D5194-1        | Doubler                                        | 2 pcs (2 ea)   | 90-Start up Operation | 5163492                   |
| D5208-041      | Blanking Plate Assembly                        | 3 pcs (3 ea)   | 90-Start up Operation | 5116332                   |
| LN9038-05012   | Bolt                                           | 36 pcs (36 ea) | 90-Start up Operation | 5116942                   |
| LN9038-05040   | Bolt                                           | 1 pcs (1 ea)   | 90-Start up Operation | 5119862                   |
| LN9348-05      | Nut                                            | 32 pcs (32 ea) | 90-Start up Operation | 5119145 5138573 x 27      |
| MS20470AD3-4   | Rivet, Universal Head                          | 18 Ea (18 ea)  | 90-Start up Operation | 5136665-40                |
| MS21919WCH12   | Clamp                                          | 1 Ea (1 ea)    | 90-Start up Operation | 5115303                   |
| MS9592-138     | Bracket                                        | 1 pcs (1 ea)   | 90-Start up Operation | 5116950                   |
| NAS1149D0332J  | Washer                                         | 70 Ea (70 ea)  | 90-Start up Operation | 5113751 x 25 5149880 x 45 |
| NAS43DD3-64    | Spacer                                         | 1 Ea (1 ea)    | 90-Start up Operation | 5050057                   |
| 22208CM050016E | Screw                                          | 2 pcs (2 ea)   | 90-Start up Operation | 5140476                   |
| 23350CA050     | Washer                                         | 2 Ea (2 ea)    | 90-Start up Operation | 5013736                   |
| 9945000160     | Gasket                                         | 1 Ea (1 ea)    | 90-Start up Operation | 5119892                   |
| D5526-1        | Upper Hose Protector                           | 1 pcs (1 ea)   | 90-Start up Operation | 5119043                   |
| D5526-3        | Lower Hose Protector                           | 1 pcs (1 ea)   | 90-Start up Operation | 5118052                   |
| LN9038-05016   | Bolt                                           | 2 pcs (2 ea)   | 90-Start up Operation | 5117992                   |
| BS4320-A5      | Washer                                         | 56 Ea (56 ea)  | 110-Packaging         | 5179479                   |
| LN29985-A05    | Anchor Nut                                     | 15 pcs (15 ea) | 110-Packaging         | 5179481                   |
| LN9038-05018   | Bolt                                           | 56 pcs (56 ea) | 110-Packaging         | 5179482                   |
| MS20426AD3-3   | Rivet                                          | 40 Ea (40 ea)  | 110-Packaging         | 5179483                   |
| QB21304        | Pureair Panel Assembly                         | 1 pcs (1 ea)   | 110-Packaging         | 5179476                   |
| QB21308        | Fod Screen Assembly                            | 1 pcs (1 ea)   | 110-Packaging         | 5179477                   |
| QB21310        | Transition Duct Assembly                       | 1 pcs (1 ea)   | 110-Packaging         | 5179478                   |
| QR10616        | Vortex Tube Repair                             | 1 pcs (1 ea)   | 110-Packaging         | 5179480                   |
| LN9038-05016   | Bolt                                           | 2 pcs (2 ea)   | 110-Packaging         |                           |
| DSI 9815-011   | Replacement Receptacle                         | 1 pcs (1 ea)   | 113 Small Fab - 2 BAB |                           |

85721-1 x1

736 ~~8411999090~~ x1  
sezbut

per ECN 19-639

5171853

5163293

see  
maney

5119349


x 27

x 45



| Job Allocations                    |                |          |           |           |
|------------------------------------|----------------|----------|-----------|-----------|
| Operation                          | Component Part | Required | Inventory | Allocated |
| 90-Start up Operation              | 22208CM050016E | 2        | 22        | 0         |
|                                    | 23350CA050     | 2        | 45        | 0         |
|                                    | 650.0401       | 1        | 9         | 0         |
|                                    | 9752100180     | 1        | 0         | 0         |
|                                    | 9945000120     | 1        | 9         | 0         |
|                                    | 9945000160     | 1        | 13        | 0         |
|                                    | AN821-12J      | 2        | 30        | 0         |
|                                    | AN929-12J      | 1        | 17        | 0         |
|                                    | D4925-041      | 1        | 3         | 0         |
|                                    | D4931-1        | 1        | 9         | 0         |
|                                    | D4931-3        | 1        | 5         | 0         |
|                                    | D4931-5        | 1        | 6         | 0         |
|                                    | D4935-1        | 6        | 69        | 0         |
|                                    | D4943-1        | 1        | 15        | 0         |
|                                    | D4961-041      | 1        | 8         | 0         |
|                                    | D4961-043      | 1        | 9         | 0         |
|                                    | D5079-1        | 2        | 30        | 0         |
|                                    | D5090-041      | 1        | 9         | 0         |
|                                    | D5105-1        | 2        | 24        | 0         |
|                                    | D5110-1        | 1        | 28        | 0         |
|                                    | D5179-1        | 2        | 19        | 0         |
|                                    | D5179-3        | 2        | 20        | 0         |
|                                    | D5194-1        | 2        | 5         | 0         |
|                                    | D5208-041      | 3        | 12        | 0         |
|                                    | D5526-1        | 1        | 10        | 0         |
|                                    | D5526-3        | 1        | 8         | 0         |
|                                    | LN9038-05012   | 36       | 337       | 0         |
|                                    | LN9038-05016   | 2        | 103       | 0         |
|                                    | LN9038-05040   | 1        | 46        | 0         |
|                                    | LN9348-05      | 32       | 410       | 0         |
|                                    | MS20470AD3-4   | 18       | 5,777     | 0         |
|                                    | MS21919WCH12   | 1        | 45        | 0         |
|                                    | MS9592-138     | 1        | 19        | 0         |
|                                    | NAS1149D0332J  | 70       | 2,714     | 0         |
|                                    | NAS43DD3-64    | 1        | 28        | 0         |
| 110-Packaging                      | BS4320-A5      | 56       | 6         | 0         |
|                                    | LN29985-A05    | 15       | 389       | 0         |
|                                    | LN9038-05016   | 2        | 103       | 0         |
|                                    | LN9038-05018   | 56       | 731       | 0         |
|                                    | MS20426AD3-3   | 40       | 2,027     | 0         |
|                                    | QB21304        | 1        | 0         | 0         |
|                                    | QB21308        | 1        | 0         | 0         |
|                                    | QB21310        | 1        | 0         | 0         |
|                                    | QR10616        | 1        | 0         | 0         |
|                                    | DSI 9815-011   | 1        | 10        | 0         |
| 113-Small Fab - 2 - B4B            |                |          |           |           |
| Part Specifications                |                |          |           |           |
| Specifications could not be found. |                |          |           |           |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                |             |                                                |                |                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-------------|------------------------------------------------|----------------|-----------------|
| 1. Approving Competent Authority/Country<br>Civil Aviation Authority/ United Kingdom                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 2. <b>AUTHORISED RELEASE CERTIFICATE</b><br><b>EASA FORM 1</b> |             | 3. Form Tracking Number:<br>0152684            |                |                 |
| 4. Organisation Name and Address:<br><b>PALL</b> Pall Corporation<br><b>PALL EUROPE LTD.</b><br><b>Pall Aerospace Division</b><br>Cardrew Industrial Estate, Redruth, Cornwall, TR15 1SS, UK<br>Tel No. 00 44 (0)1209 884200<br>Fax No. 00 44(0)1209 884310                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                |             | 5. Work Order/Contract/ Invoice:<br>4503324242 |                |                 |
| 6. Item                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 7. Description                                                 | 8. Part No. | 9. Qty                                         | 10. Serial No. | 11. Status/Work |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | PUREair AC Kit Iss 4                                           | QB05008     | 1                                              | RF3-4598       | New             |
| 12. Remarks<br>Dart Aerospace Ltd<br>1270 Aberdeen Street<br>Hawkesbury K6A 1K7<br>Ontario<br>CANADA<br><br>Pall Aerospace Batch No. RD19006343<br><br>DDP 642 Iss C REFERS.<br><br>Note - QB05008 is a Kit of following parts: QB21304, QB21310 & QB21308.<br>(PALL REF - SAP ITEM No: 40)<br><br>Guidance and information on disposal / recycling of this product at the end of its life can be obtained from the "Disposal Instruction Guidance" section on Pall web site:<br><a href="https://aerospace.pall.com/en/disposal-instructions.html">https://aerospace.pall.com/en/disposal-instructions.html</a><br><br>Order No. "STO" Order.<br>This document has been issued according to an approved computer-generated signature procedure. |                                                                |             |                                                |                |                 |

|                                                                                                                                                                                                                                                                     |                                                   |                                                                                                                                                                                                                                                                  |                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| 13a. Certifies that the items identified above were manufactured in conformity to:<br><input checked="" type="checkbox"/> approved design data and are in a condition for safe operation<br><input type="checkbox"/> non-approved design data specified in block 12 |                                                   | 14a. <del>Certifies that unless otherwise specified in block 12, the work identified in block 11 and described in block 12 was accomplished in accordance with Part 145 and in respect to that work the items are considered ready for release to service.</del> |                                                   |
| 13b. Authorised Signature<br><br>Electronic Signature on File                                                                                                                    | 13c. Approval/Authorisation Number<br>UK.21G.2630 | 14b. Authorised Signature                                                                                                                                                                                                                                        | 14c. Certificate/Approval Ref. No<br>UK.145.00296 |
| 13d. Name<br>Ian England - Team Leader EAPs - 3105                                                                                                                                                                                                                  | 13e. Date (dd mmm yyyy)<br>29 Apr 2019            | 14d. Name                                                                                                                                                                                                                                                        | 14e. Date (dd mmm yyyy)                           |


**USER/INSTALLER RESPONSIBILITIES**

This certificate does not automatically constitute authority to install.  
Where the user/installer performs work in accordance with regulations of an airworthiness authority different than the airworthiness authority specified in block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts items from the airworthiness authority specified in block 1.  
Statements in blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.



# UNCONTROLLED DOWNLOADED COPY

Valid on 26 Apr 2019 only.



## PRODUCTION ACCEPTANCE TEST CERTIFICATE

This is an Electronically controlled document which is maintained with Full Password Access for all users. The "Insp Stamp" column relates to an individual whose password is electronically controlled, a "wet stamp" is therefore no longer required.

|                            |                                                         |                    |             |
|----------------------------|---------------------------------------------------------|--------------------|-------------|
| <b>Test Unit Desc</b>      | Centrisep EAPS                                          | <b>Report No:</b>  | FC1021      |
| <b>Drawing No</b>          | QB05008                                                 | <b>Serial No.</b>  | RF3-4598    |
| <b>Part No</b>             | QB05008                                                 | <b>Batch No.</b>   | RD19006343  |
| <b>ECR / Concession No</b> | ECR R49216                                              | <b>Issue</b>       | 4A          |
| <b>Cust Spec</b>           | RSB05008                                                | <b>Test Sched</b>  | ATPB05008   |
| <b>Test Fluid</b>          | Air                                                     | <b>Test Set-up</b> |             |
| <b>Rig Or Test No</b>      |                                                         | <b>Issue</b>       |             |
| <b>Comment</b>             | MQC 3405                                                | <b>Tester</b>      | IAN ENQUAND |
| <b>Insp/Approved By</b>    |                                                         | <b>Date</b>        | 27/04/2019  |
| <b>Assembler</b>           | GORDON MUIZAT<br>ED BROWNE<br>PETE DOWNHILL<br>08003105 | <b>Clock No.</b>   |             |

|      | PROCEDURE                                                                                                                      | REQUIREMENT                            | RESULT    | Pass/Fail |
|------|--------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|-----------|-----------|
| 3.1  | Check that the label requirements and part marking are in accordance with Sheet 2                                              | Confirm                                | CONFIRMED | PASS      |
| 3.2  | Ensure the QB05008 assembly conforms to the QB05008 Sheet 2 dimensions.                                                        | Confirm                                | CONFIRMED | PASS      |
| 3.3  | Check the weight of the unit does not exceed 10kg.                                                                             | Confirm                                | 8.52kg    | PASS      |
| 3.4  | Check that proof pressure and crack detect tests have been performed on manifold.                                              | Confirm<br>JOB NO 103181302<br>OP 0060 | CONFIRMED | PASS      |
| 3.5  | Check FOD screen mesh is intact with no broken mesh strands or irregular deformation.                                          | Confirm                                | CONFIRMED | PASS      |
| 3.6  | Check FOD screen receptacles are secure with no movement under finger pressure.                                                | Confirm                                | CONFIRMED | PASS      |
| 3.7  | Check FOD screen fits securely to receptacle plate and all 4 off studs engage positively with their corresponding receptacles. | Confirm<br>SEE ECR<br>R49216           | CONFIRMED | PASS      |
| 3.8  | Check retaining washer has been added to 4 off quarter turn studs.                                                             | Confirm<br>N/A ECR R49216              | CONFIRMED | PASS      |
| 3.9  | Check manifold port thread engagement. Ensure protective cap is fitted.                                                        | Confirm                                | CONFIRMED | PASS      |
| 3.10 | Check electrical bonding resistance is equal to or less than 100 milliohms.                                                    | Confirm                                | 2mΩ       | PASS      |
| 4.1  | Check overall unit cleanliness.                                                                                                | Confirm                                | CONFIRMED | PASS      |
| 4.1a | Check there are no material imperfections or foreign matter embedded.                                                          | Confirm                                | CONFIRMED | PASS      |
| 4.1b | Check surface for unclean, rough, misaligned or containing cracks, nicks or other flaws.                                       | Confirm                                | CONFIRMED | PASS      |



# UNCONTROLLED DOWNLOADED COPY

|                                                                                                                                                            |                                                                                                                                                                                                           |                                       |           |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------|------|
| 4.1<br>c                                                                                                                                                   | Check for any components that are missing, malformed, fractured or otherwise damaged.                                                                                                                     | Valid on 26 Apr 2018 only.<br>Confirm | CONFIRMED | PASS |
| 4.1<br>d                                                                                                                                                   | Check for any components that are loose or otherwise not securely retained.                                                                                                                               | Confirm                               | CONFIRMED | PASS |
| 4.1<br>e                                                                                                                                                   | Check for incorrect assembling or improper positioning of components.                                                                                                                                     | Confirm                               | CONFIRMED | PASS |
| 4.1<br>f                                                                                                                                                   | Check for faulty workmanship or other irregularities e.g. Marking. Check for missing, insufficient, incorrect, illegible or non permanent text.                                                           | Confirm                               | CONFIRMED | PASS |
| 4.1<br>g                                                                                                                                                   | Check to ensure all components are installed and secured in accordance with drawing instructions.                                                                                                         | Confirm                               | CONFIRMED | PASS |
| 4.1<br>h                                                                                                                                                   | Check that unit is free from all foreign objects: e.g. Swarf and rivet tails. Ensure unit is properly painted and is in a clean condition. Visually check unit for workmanship, no damage is permissible. | Confirm                               | CONFIRMED | PASS |
|                                                                                                                                                            |                                                                                                                                                                                                           |                                       |           |      |
|                                                                                                                                                            | PASS/FAIL                                                                                                                                                                                                 |                                       |           |      |
| RESULTS OF TEST :- PASS<br>FINAL INSPECTION APPROVAL :- <div>  </div> |                                                                                                                                                                                                           |                                       |           |      |